



BEST SEALING SOLUTION FOR YOUR AUTOMATIC TRANSMISSION

AUTOMATIC TRANSMISSION



AUTOMATIC TRANSMISSION PISTON

AUTOMATIC TRANSMISSION SEAL



WINTEK SEALING INDUSTRIAL CO., LTD

NO. 1, GONGYE RD., NANTOU CITY, NANTOU COUNTY|540027, TAIWAN
TEL:+886 49 225 5699 |FAX:+886 49 226 2168
STANLEY_YU@WTK-SEALING.COM.TW | SERVICE@WTK-SEALING.COM.TW

WWW.WTK-SEALING.COM

01M/01N



Size: 43*107.9*13.7
Material: FKM
Application: K1 FORWARD RETAINER
WTK#: WT04871



Size: 118*147.5*13.5
Material: VAMAC
Application: Low/Reverse Clutch (B1) 1990-up
WTK#: WT04872



Size: 43*113.4/115.5*14/17
Material: VAMAC
Application: K1 FORWARD PISTON
WTK#: WT04873



Size: 33.5*88.6*18.0/28.0
Material: VAMAC
Application: K3 PISTON
WTK#: WT04874



Size: 76*109.10/117.3*11
Material: VAMAC
Application: K2 Piston Reverse Clutch (Bonded) 1989-up
WTK#: WT04875



Size: 131.5*145.5*13
Material: VAMAC
Application: Piston Intermediate Clutch (B2) Bonded 1990-up
WTK#: WT04876



Size: 33.5*84*36
Material: FKM
Application: K3 Retainer
WTK#: WT04877

09G/M	
	Size: 52.2*114/151.3*18.7 Material: VAMAC Application: Piston K2 WTK#: WT06777
	Size: 49.8*117.6*9.7 Material: VAMAC Application: Piston K3/C3 Clutch Balance WTK#: WT05702
	Size: 51.4*109*11.5 Material: VAMAC Application: Piston K2/C2 Clutch Balance WTK#: WT05701
	Size: 46.95*117.5*10 Material: VAMAC Application: Piston K1/C1 Clutch Balance WTK#: WT06354
	Size: 52.2*114/142.9*21 Material: VAMAC Application: Piston K2/C2 Clutch Bonded 03-up WTK#: WT05700
4L60E	
	Size: 48*127*19.2/31.8 Material: VAMAC Application: Forward Clutch WTK#: WT06870
	Size: 63.6*79/108.3*10.5/25.6 Material: VAMAC Application: 3-4th Clutch WTK#: WT06871
	Size: 40*121.51*12.8/23.3 Material: VAMAC Application: Overrun Clutch WTK#: WT06872

4L80E	
	Size: 75.18*122.89*24.2 Material: VAMAC Application: Overrun Clutch WTK#: WT07378
6T40 / 6T45	
	Size: 131*153*28.5 Material: VAMAC Application: 3-5 Rev Clutch WTK#: WT05706
	Size: 182.5*207*9.5/14.5 Material: VAMAC Application: 1-2-3-4 Clutch WTK#: WT05708
	Size: 165.5*207*12.5/13.8 Material: VAMAC Application: Low/Reverse Clutch WTK#: WT05705
	Size: 66*110*4.8/17 Material: VAMAC Application: 4-5-6 Retainer (Gen1) WTK#: WT05704
	Size: 174*198*19/21.6 Material: VAMAC Application: 2-6 Clutch WTK#: WT05707
	Size: 45*112*5.5/25.1 Material: VAMAC Application: 4-5-6 Retainer (Gen2/3) WTK#: WT05855

U660E/760E	
	Size: 37*143.5*3.5/16.8 Material: VAMAC Application: Forward (C1)Retainer WTK#: WT05721
	Size: 48.2*158.5*16.2/21.4 Material: VAMAC Application: Forward (C1)Clutch WTK#: WT05718
	Size: 68*150/189.9*15.5 Material: VAMAC Application: Direct (C2) Clutch WTK#: WT05719
	Size:120*149/173.5*39.8 Material: VAMAC Application: Brake(B3) WTK#: WT05722
	Size: 123*144.7*7.7 Material: VAMAC Application: Forward / Direct C1/C2 Drum Sleeve WTK#: WT05720
	Size: 67.5*150/178.7*13.35/15.8 Material: VAMAC Application: Direct (C2) Clutch WTK#: WT05760

4F27E / FN4A-EL / FS5A-EL / FNR5



Size: 52.5*113.2*23.2
Material: VAMAC
Application: Direct Apply
WTK#: WT05839




Size: 35.3*108.5*29.6
Material: VAMAC
Application: Direct Balance
WTK#: WT05840



Size: 52*113*15.5
Material: VAMAC
Application: Forward Apply
WTK#: WT05841



Size: 24.3*106.4*23.3
Material: VAMAC
Application: Forward Balance
WTK#: WT05842



Size: 65.5*138*34.6
Material: VAMAC
Application: Reverse Clutch
WTK#: WT05843



Size: 91*150*26.5/29.3
Material: VAMAC
Application: Low Reverse
WTK#: WT05844

	Size: 60*109.5*21.6 Material: VAMAC Application: Reduction brake piston WTK#: WT05845
	Size: 9*63*57/58 Material: VAMAC Application: Servo piston WTK#: WT05846
	Size: 44*82.8/93*21.5/22.3 Material: VAMAC Application: 3-4 Clutch Retainer WTK#: WT05847
	Size: 55.5*98/114*16.6 Material: VAMAC Application: 3-4 Clutch piston WTK#: WT05848
ZF4HP16	
	Size: 146*210*12.85 Material: VAMAC Application: C Clutch WTK#: WT05954
	Size: 1142*193.5*11 Material: VAMAC Application: D Clutch WTK#: WT05955

RE4F03B	
	Size: 34.2*87.3*24 Material: VAMAC Application: High Clutch Retainer WTK#: WT05665
	Size: 35*92*14.7 Material: VAMAC Application: High Clutch Piston WTK#: WT05666
0B5 DL501	
	Size: 65*106/138.5*18 Material: VAMAC Application: K2 WTK#: WT05838
	Size: 70*104*9.2 Material: VAMAC Application: K1 WTK#: WT05837

Servo Piston & Accumulator	
	Size: 12.68*68.58*7/94.13 Material: VAMAC Application: AOD, AODE, 4R70, 4R75 Over-drive servo WTK#: WT05662
	Size: 12.69*91.69*6.7/86.08 Material: NBR Application: FIOD, AOD, AODE, 4R70, 4R75 Reverse Servo (2 Groove) WTK#: WT05663
	Size: 0*92.95*6.8/8.5 Material: NBR Application: FIOD, AOD, AODE, 4R70, 4R75 Reverse Servo WTK#:WT06992
	Size: 12.69*91.69*6.7/87.45 Material: NBR Application: FIOD, AOD, AODE, 4R70, 4R75 Reverse Servo (3 Groove) WTK#: WT05664
	Size: 11.98*49/64.5*22.7/57.7 Material: NBR Application: C-3, A4LD, 4R44E, 4R55E intermediate & over-drive WTK#WT06990
	Size:10.98*49.89*5.5/99.6 Material: VAMAC Application: E40D, 4R100 Intermediate servo WTK#: WT07427
	Size:11.98*58.87/64.69*19/57.7 Material: VAMAC Application: 4R44E, A4LD, 5R44E, 5R55E Intermediate & Overdrive Servo WTK#: WT07446
	Size: 0*31.2/50.8*6.5/33.3 Material: FKM Application: Piston, AODE/4R70W/4R75W/ 4R70E/4R75E 2-3 Accum1997-Up WTK#: WT07346

U540E



Size:115.5*136*17.5
Material:VAMAC
Application: 2-4 Brake Piston
WTK#: WT05874



Size:25*85*13.5/24.5
Material:VAMAC
Application: Input Clutch Piston
WTK#:WT05872



Size:25*81*4.1/31.5
Material:VAMAC
Application: Input Clutch Retainer
WTK#: WT05877



Size: 55*110/122*19.2
Material: VAMAC
Application: Forward Clutch Piston
WTK#: WT05875



Size:76*132*17.3/25
Material: VAMAC
Application: Low/Reverse Clutch Piston
WTK#: WT05873



Size:76*132*20.3/28
Material: VAMAC
Application: Low/Reverse Clutch Piston
WTK#: WT05742



Size:35*115*3.5/18.5
Material: VAMAC
Application: Forward Clutch Retainer
WTK#: WT05876

AL4/DPO	
	Size:45*97.7*37.4 Material: VAMAC Application: E2 Clutch Retainer WTK#: WT05890
	Size:48*103/111.7*15.5/25.5 Material: VAMAC Application:E2 Clutch WTK#: WT05887
	Size:8*46*23.3 Material:VAMAC Application:F2 SERVO WTK#: WT05892
	Size:8*65*24.5 Material:VAMAC Application: F3 SERVO WTK#:WT05893
	Size:63*152*45 Material: VAMAC Application: E1 Clutch WTK#:WT05888
	Size:142*159/175.6*10 Material: VAMAC Application: F1 Brake WTK#:WT05889
	Size:62.4*112.6*5.6 Material: VAMAC Application: E1 Clutch Retainer WTK#: WT05891
A960	
	Size:36*102*16.5/30.5 Material: VAMAC Application: Coast Clutch WTK#: WT05886

MPS6(6DCT450)

	Size:118*286.7*25.5/41.7 Material: VAMAC/FKM Application: front cover WTK#: WT05869
	Size:106*127/162.7*18.7 Material: VAMAC Application:C1-C2 Retainer WTK#: WT05878
	Size:73*114/119*16.3 Material: VAMAC Application:C1-C2 Piston WTK#: WT05879

6T30

	Size:119.5*142.5/150.2*29 Material: VAMAC Application: 3-5-Reverse Clutch WTK#: WT05881
	Size:163.5*182*23 Material: VAMAC Application: 2-6 Clutch WTK#: WT05883
	Size:66*98*4.0/16.5 Material: VAMAC Application:4-5-6 Clutch Retainer WTK#: WT05884
	Size:162*189*10.5/13.5 Material: VAMAC Application:Low & Rev / 1-2-3-4 Clutch WTK#: WT05885

4T65E	
	Size:48.6*84/99.6*16.3 Material: VAMAC Application: K3 Clutch Piston WTK#: WT05900
	Size: 83*138*18.5 Material: VAMAC Application: K2 Clutch Piston WTK#: WT05901
6F35	
	Size:66*110*5/16 Material: VAMAC Application: 4-5-6 Clutch WTK#: WT05882
	Size:179*198*16 Material: VAMAC Application: 2-6 Clutch WTK#: WT06153
	Size: 182*207*11/14 Material: VAMAC Application: 1-2-3-4 Clutch WTK#: WT06647
	Size: 165.6* 206*8*10.5/13 Material: VAMAC Application: Low/Reverse Clutch WTK#: WT06650
	Size: 131*153*28 Material: VAMAC Application: 3-5 Rev Clutch WTK#: WT06648

U240



Size:40.4*115*4.8/18
Material: VAMAC
Application: Direct Clutch
WTK#:WT05904



Size:53*120/156.8*19.5
Material: VAMAC
Application: Direct Clutch
WTK#: WT05905



Size:49.5*110/112*11.8/17
Material: VAMAC
Application: Underdrive Clutch
WTK#: WT05906



Size: 48.7*105.6*17.5
Material: VAMAC
Application: Underdrive Clutch Balance
WTK#: WT06281

U150	
	Size: 54*111*12.5/23 Material: VAMAC Application: Underdrive Clutch WTK#:WT06234
	Size: 53.5*106.3*4.5/24.8 Material: VAMAC Application: Underdrive WTK#:WT06235
	Size: 33.9*120.7*4.6/19.5 Material: VAMAC Application: Overdrive Clutch Balance WTK#:WT06238
	Size: 54*125*14.5/17.8 Material: VAMAC Application: Overdrive Clutch WTK#:WT06239
	Size: 57.8*127*4.5/19 Material: VAMAC Application: Forward Clutch Balance WTK#:WT06241
	Size: 65*131.5*14/15.5 Material: VAMAC Application: Forward Clutch WTK#:WT06243

U140



Size: 54*111*12.5/23
Material: VAMAC
Application: Underdrive clutch
WTK#:WT06234



Size: 53.5*106.3*4.5/24.8
Material: VAMAC
Application: Underdrive
WTK#:WT06235



Size:40.4*115*4.8/18
Material: VAMAC
Application: Direct Clutch
WTK#:WT05904



Size:53*120/156.8*19.5
Material: VAMAC
Application: Direct Clutch
WTK#: WT05905

U250	
	Size: 33.9*120.7*4.6/19.5 Material: VAMAC Application: Overdrive Clutch Balance WTK#:WT06238
	Size: 54*125*14.5/17.8 Material: VAMAC Application: Overdrive Clutch WTK#:WT06239
	Size: 57.8*127*4.5/19 Material: VAMAC Application: Forward Clutch Balance WTK#:WT06241
	Size: 65*131.5*14/15.5 Material: VAMAC Application: Forward Clutch WTK#:WT06243
	Size: 48.7*105.6*17.5 Material: VAMAC Application:Underdrive Clutch Balance WTK#: WT06281
	Size:49.5*110/112*11.8/17 Material: VAMAC Application: Underdrive Clutch WTK#: WT05906

CD4E	
	Size:72.2*149.6*8.65 Material: VAMAC Application: Reverse Input Clutch WTK#: WT05785
	Size:48*108*13/15.6 Material: VAMAC Application: Coast Clutch WTK#: WT06221
	Size:0*76*6.1/12.5 Material: VAMAC Application: Overdrive Servo WTK#: WT06222
AB60E/F	
	Size: 71.6*146*3.8/17.9 Material: VAMAC Application: C2 coast clutch Retainer WTK#:WT06232
	Size: 39.5*113*25/38.5 Material: VAMAC Application: C4 direct clutch Piston WTK#:WT06233

QR640AHA / M11



Size: 8*48*93.5
Material: VAMAC
Application: Brake Band
WTK#:WT06244



Size: 60*113/160.3*18.5
Material: VAMAC
Application: C1 Clutch Piston
WTK#:WT06245



Size: 55.4*108.2*3.8/8.5
Material: VAMAC
Application: C2 clutch retainer
WTK#:WT06246



Size: 66.2*128.5*4.6/7
Material: VAMAC
Application: C3 clutch retainer
WTK#:WT06247



Size: 48.6*105.3*8.5
Material: VAMAC
Application: C1 Clutch retainer
WTK#:WT06248



Size: 50*110/156*15.5
Material: VAMAC
Application: C2 clutch piston
WTK#:WT06249



Size: 134.5*176*49.5
Material: VAMAC
Application: B2 Piston
WTK#:WT06250



Size: 68*121.5/170.5*59
Material: VAMAC
Application: C3 clutch piston
WTK#:WT06251

M78

	Size: 39*112.5*4.3/20.3 Material: VAMAC Application: C3 Clutch Retainer WTK#:WT06256
	Size: 39.5*118/122.9*12.5/14.1 Material: VAMAC Application: C1 Clutch Piston WTK#:WT06257
	Size: 39.5*118*13.7/23.1 Material: VAMAC Application: C2 Clutch Piston WTK#:WT06258
	Size: 39*112.5*4.5/28 Material: VAMAC Application: C2 Clutch Retainer WTK#:WT06259
	Size: 39*112.5*4.5/24.5 Material: VAMAC Application: C1 Clutch Retainer WTK#:WT06260
	Size: 39.5*118/123*14.5/15.6 Material: VAMAC Application: C3 Clutch Piston WTK#:WT06261

02E	
	Size: 63.3*110/125*12.5*14.7 Material: VAMAC Application:C2 Input clutch piston WTK#:WT06223
	Size: 55.3*105*4.5/14.4 Material: VAMAC Application:C2 Input clutch retainer WTK#:WT06224
	Size: 47*245.5*34 Material: VAMAC Application:C2 front cover WTK#: WT06579
JF011E/RE0F10A	
	Size: 68.7*128.4*4.5/19.8 Material: VAMAC Application:Forward Clutch Retainer WTK#:WT06225
	Size: 69*133/140*11.5/17.8 Material: VAMAC Application:Forward Clutch Piston WTK#:WT06226
	Size: 118*178*38/44.5 Material: VAMAC Application:Reverse brake Piston WTK#:WT06227

722.9	
	Size: 170*191*12.5/21 Material: VAMAC Application: B3 Clutch WTK#: WT06327
	Size: 102*132*19 Material: VAMAC Application: K1 Clutch WTK#: WT06328
	Size: 146.5*163/177.3*27 Material: VAMAC Application: B1 Clutch WTK#: WT06329
TF80/81-SC	
	Size: 48.4*125*5.4/10.3 Material: VAMAC Application: C1 Forward clutch Retainer WTK#: WT06511
	Size: 56.4*108.5*12 Material: VAMAC Application: C2 Direct clutch Retainer WTK#: WT 06510
	Size: 58.8*128*7.6 Material: VAMAC Application: C3 Reserve clutch Retainer WTK#: WT06512
	Size: 57.2*123*21.5 Material: VAMAC Application: C2 Direct clutch piston WTK#: WT06509

TW-40LS	
	Size: 31.2*87.5/103.3*19.5 Material: VAMAC Application: Forward clutch Balance WTK#: WT06367
	Size: 26.4*91.7*26 Material: VAMAC Application: Forward clutch retainer WTK#: WT06368
	Size:30.5*90.35*30 Material: VAMAC Application: Direct clutch retainer WTK#: WT06369
	Size: 31.2*94.8/95*12.5/21.5 Material: VAMAC Application: Direct clutch Balance WTK#: WT06370
	Size: 105*133.5/140*9.5/22 Material: VAMAC Application: 2nd Brake WTK#: WT06371
	Size: 108*138.5*12.5/8 Material: VAMAC Application: Overdrive brake WTK#: WT06372
K111/K112	
	Size: 57*131.5*15 Material: VAMAC Application: Forward clutch piston WTK#: WT06467
	Size: 51.5*121.8*19 Material: VAMAC Application: Forward clutch retainer WTK#: WT06466

AA80E	
	Size: 65.3*116*12 Material: VAMAC Application: Reverse clutch WTK#: WT06524
K310	
	Size: 56*112*11/13 Material: VAMAC Application: C1 Forward clutch piston WTK#: WT06526
	Size:47.3*107.6*4/15.7 Material: VAMAC Application: C1 Forward clutch retainer WTK#: WT06525
ZF8HP55 ZF8HP70	
	Size:189*209.5/211*28.8/38.3 Material: VAMAC Application: B Clutch WTK#: WT06537
	Size:45.6*116/160*13.3/31 Material: VAMAC Application: E Clutch WTK#: WT06538
	Size:45.6*116/156.3*9.3/26.2 Material: VAMAC Application: C Clutch WTK#: WT06539

ZF8HP45	
	Size:189*209.5/211*28.8/38.3 Material: VAMAC Application: B Clutch WTK#: WT06534
	Size:42.2*101/132.9*9.2/26 Material: VAMAC Application: C Clutch WTK#: WT06535
	Size:45.6*101/136.6*10/27.5 Material: VAMAC Application: E Clutch WTK#: WT06536
JF015E	
	Size: 46*125/128.8*12.5/13.2 Material: VAMAC Application: Direct Clutch WTK#: WT06528
	Size: 44.6*119.5*19 Material: VAMAC Application: Direct Clutch Retainer WTK#: WT06527

A174/SR410/412	
	Size: 58*117/123.7*15.5/17.6 Material: VAMAC Application: B1 B2 Piston WTK#: WT06531
	Size: 31.2*96/96.4*16.5/25 Material: VAMAC Application: FORWARD CLUTCH APPLY WTK#: WT06530
	Size: 21.3*91.9*5.2/31.5 Material: VAMAC Application: FORWARD CLUTCH BALANCE WTK#: WT06529
	Size: 54.3*119.8*4.5/7 Material: VAMAC Application: FRONT (DIRECT) CLUTCH BALANCE WTK#: WT06532
	Size: 60.3*114.5*20.5 Material: VAMAC Application: FRONT (DIRECT) CLUTCH APPLY WTK#: WT06533
AW80-40LE / AW81-40LE / AW81-40LS/U440E/F / U441E/F	
	Size: 29.4*107.2*4.2/30.5 Material: VAMAC Application: C1 Retainer WTK#: WT06724
	Size: 40.8*104*21.8/28.5 Material: VAMAC Application: C1 Piston WTK#: WT06725

62TE	
	Size: 83.5*153*25/26.8 Material: VAMAC Application: Low reverse clutch piston WTK#: WT06425
	Size: 135*163.5*5/17 Material: VAMAC Application: C2-4 Clutch piston WTK#: WT06426
	Size: 54.3*128*5.3/47.1 Material: VAMAC Application: Underdrive clutch retainer WTK#: WT06427
	Size: 47.3*114.5*13.2/17.2 Material: VAMAC Application: Direct clutch balance WTK#: WT06428
	Size: 52.5*122*12/13.5 Material: VAMAC Application: Low Clutch WTK#: WT06429
	Size: 48*114*13.5/17 Material: VAMAC Application: Direct clutch piston WTK#: WT06430

6L80/90	
	Size: 68.5*138*4.8/10.7 Material: VAMAC Application: 1-2-3-4 Clutch Retainer WTK#: WT07339
	Size: 31.1*120.8*5.5/20.4 Material: VAMAC Application: 4-5-6 Retainer WTK#: WT07340
	Size: 37*127*20.7 Material: VAMAC Application: 4-5-6 Clutch WTK#: WT07341
	Size: 164.5/171.5*197.2*5.8/22.2 Material: VAMAC Application: 2-6 Clutch WTK#: WT07342
	Size: 85*179*9.2/17.5 Material: VAMAC Application: Lowreverse Clutch WTK#: WT07343

45 545 68RFE	
	Size: 68.5*136.5*16.3 Material: VAMAC Application: 4TH CL WTK#: WT07263
	Size: 65.5*175*26 Material: VAMAC Application: LOW/REV WTK#: WT07264
	Size: 150*203*24.1 Material: VAMAC Application: 2ND CL 07+ WTK#: WT07295
	Size: 150*203*30.1 Material: VAMAC Application: CHRY5 545RFE 2ND CL WTK#: WT07296
10R60	
	Size: 63.7*110/152*34 Material: VAMAC Application: Overdrive 1-2-8-9-10-REV WTK#: WT07215
	Size: 99*139*16.5/18.8 Material: VAMAC Application: Forward 1-3-5-6-7-8-9 WTK#: WT07216

8L90/8L45	
	Size: 163.85*196.4*12.4/13.3 Material: VAMAC Application: 1-2-7-8-Rev Clu 8L90 WTK#: WT07117
	Size: 154.85*178.5*12.4/13.3 Material: VAMAC Application: 1-2-7-8-Rev Clu 8L45 WTK#: WT07119
6L45/50	
	Size: 68.5*133.5*4.3/11 Material: VAMAC Application: 1-2-3-4 &3-5 Reverse Clutch WTK#: WT07195
	Size: 157.2/164*184*4.8/21.2 Material: VAMAC Application: 2-6 Clutch WTK#: WT07196
	Size: 34*117*24.6 Material: VAMAC Application: 4-5-6 Clutch Piston WTK#: WT07197
	Size: 28*118*4.3/21.8 Material: VAMAC Application: 4-5-6 Clutch Retainer WTK#: WT07198
	Size: 118/158*178*13.7/15.5 Material: VAMAC Application: Low/Reverse WTK#: WT07199

4R70	
	Size: 153.4*188.6*14.7/22.7 Material: VAMAC Application: INTERMEDIATE CLUTCH WTK#: WT06789
CP1 / B5RA / M90A	
	Size: 45.05*106*23.3 Material: VAMAC Application: 2nd Clutch retainer, HONDA 2002 up CRV ACCORD TXS RSX WTK#: WT07115
09G 14UP	
	Size: 46.85*118.1*3.7/7.5 Material: VAMAC Application: K1 Foreard Clutch Retainer WTK#: WT07113
	Size: 51.3*118.2*4/10 Material: VAMAC Application: K2 high/low Reverse Clutch Retainer WTK#: WT07114
	Size: 49.8*117.6*9.7 Material: VAMAC Application: K3 WTK#: WT07116

A6G/M/LF1	
	Size: 68.2*106*6.4 Material: VAMAC Application: 3-5 Reverse Retainer (L) WTK#: WT07084
	Size: 51.3*118.2*4/10 Material: VAMAC Application: Overdrive Retainer (L) WTK#: WT07085
	Size: 49.8*117.6*9.7 Material: VAMAC Application: 3-5 Reverse Retainer (G) WTK#: WT07086
	Size: 51.3*118.2*4/10 Material: VAMAC Application: 3-5 Reverse Retainer (M) WTK#:WT07087
	Size: 49.8*117.6*9.7 Material: VAMAC Application: Overdrive Retainer (G&M) WTK#: WT07088